



Timo d.o.o. Ajdovščina

Vipavska cesta 4i
5270 Ajdovščina

Slovenija

www.timo.si



**Vozički za
tuširanje**

SHOWER TROLLEYS


 1700 mm (1850 mm) - KRAJŠI / SMALLER
 2100 mm (2250 mm) - DALJŠI / LONGER


SI Voziček za tuširanje - hidravlični

art. 155000

Enodelno ležišče z možnostjo postavitve v 90° stranski položaj, kar omogoča zelo lahko čiščenje in dezinfekcijo po uporabi, ter regulacijo višine. Konstrukcija vozička je izdelana iz jeklenih cevi in korozijsko zaščitena s katarforezo ter s končnim slojem s prašnim barvanjem po RAL lestvici. Podvozje vozička je zaščiteno z ABS pokrovi.

Voziček je v osnovi opremljen s sledečo opremo:

- s stransko ograjico s posebnim mehanizmom za spuščanje in dviganje
- z odtočno cevjo dolžine 1,1 m
- z blazino ležišča ter vzglavno blazino
- s kolesi ø 125 s centralnim zavornim sistemom

Možnosti izbire dolžine ležišča / Posibility of mattress platform length:

- ↔ 1700 mm (1850 mm) - KRAJŠI / SMALLER
- ↔ 1900 mm (2050 mm) - STANDARD / STANDARD
- ↔ 2100 mm (2250 mm) - DALJŠI / LONGER

↻ 815 mm

↑ 480 - 870 mm

Možnosti izbire dodatne opreme / Posibility of additional equipment:


 Kolesa s točkovno zavoro /
 Wheels with single break

 Trikotni vzglavnik /
 Triangle cushion

EN Shower trolley - with hydraulic cylinder

art. 155000

Mattress platform is in one section and can be placed under the angle of 90° in the lateral position which enables easy cleaning and disinfection after use. Height adjustment. The frame of shower trolley is made of steel pipes, with central braking wheels fi 125 with ABS cover. Epoxy powders coating finish, with protection against corrosion.

Basic equipment of the shower trolley:

- side rails
- a drain hose length of 1,1 m
- a mattress and headboard cushion
- central breaking wheel ø 125



1700 mm (1850 mm) - KRAJŠI / SMALLER
2100 mm (2250 mm) - DALJŠI / LONGER



SI

Voziček za tuširanje - hidravlični

art. 155010

Dvodelno ležišče z možnostjo regulacije vzglavja od 0-30° ter regulacijo višine. Konstrukcija vozička je izdelana iz jeklenih cevi in korozijsko zaščitena s kateforezo ter s končnim slojem s prašnim barvanjem po RAL lestvici. Podvozje vozička je zaščiteno z ABS pokrovi.

Voziček je v osnovi opremljen s sledečo opremo:

- s stransko ograjico s posebnim mehanizmom za spuščanje in dviganje
- z odtočno cevjo dolžine 1,1 m
- z blazino ležišča ter vzglavno blazino
- s kolesi ø 125 s centralnim zavornim sistemom

Možnosti izbire dolžine ležišča / Possibility of mattress platform length:

- ↔ 1700 mm (1850 mm) - KRAJŠI / SMALLER
- ↔ 1900 mm (2050 mm) - STANDARD / STANDARD
- ↔ 2100 mm (2250 mm) - DALJŠI / LONGER

↻ 815 mm

↑ 480 - 870 mm

Možnosti izbire dodatne opreme / Possibility of additional equipment:



Kolesa s točkovno zavoro /
Wheels with single break



Trikotni vzglavnik /
Triangle cushion

Shower trolley – with hydraulic cylinder

art. 155010

Mattress platform is in two section and offers the head rest adjustment 0-30° and height adjustment. The frame of shower trolley is made of steel pipes, with central braking wheels fi 125 with ABS cover. Epoxy powders coating finish, with protection against corrosion.

Basic equipment of the shower trolley:

- side rails
- a drain hose length of 1,1 m
- a mattress and headboard cushion
- central breaking wheel ø 125

EN



1700 mm (1850 mm) - KRAJŠI / SMALLER
2100 mm (2250 mm) - DALJŠI / LONGER



SI

Voziček za tuširanje - električni

art. 155030

Dvodelno ležišče z možnostjo regulacije vzglavja od 0-30° ter z možnostjo postavitve v trendelenburg in antitrendelenburg položaj 20°. Samo ležišče vozička je nastavljivo po višini s pomočjo dveh stebrih elektro motorjev. Konstrukcija vozička je izdelana iz jeklenih cevi in korozijsko zaščitena s kateforezo ter s končnim slojem s prašnim barvanjem po RAL lestvici. Podvozje vozička je zaščiteno z ABS pokrovi.

Voziček je v osnovi opremljen s sledečo opremo:

- s stransko ograjico s posebnim mehanizmom za spuščanje in dviganje
- z odtočno cevjo dolžine 1,1 m
- z blazino ležišča ter vzglavno blazino
- s kolesi \varnothing 125 s centralnim zavornim sistemom
- baterijo in polnilcem

Možnosti izbire dolžine ležišča / Posibility of mattress platform length:

- ↔ 1700 mm (1850 mm) - KRAJŠI / SMALLER
- ↔ 1900 mm (2050 mm) - STANDARD / STANDARD
- ↔ 2100 mm (2250 mm) - DALJŠI / LONGER

↻ 815 mm

↑ 510 - 910 mm

Možnosti izbire dodatne opreme / Posibility of additional equipment:



Trikotni vzglavnik /
Triangle cushion

EN

Shower trolley – electrical

art. 155030

Mattress platform is in two section and offers the manual head rest adjustment 0-30°, trendelenburg and antitrendelenburg adjustment 20° and height adjustment with two motors in the columns with a maximum lifting load of 200 kg. The frame of shower trolley is made of steel pipes, with central braking wheels \varnothing 125 with ABS cover. Epoxy powders coating finish, with protection against corrosion.

Basic equipment of the shower trolley:

- side rails
- a drain hose length of 1,1 m
- a mattress and headboard cushion
- central breaking wheel \varnothing 125
- battery and charger



SI Voziček za tuširanje - električni - otroški

art. 155030C

Dvodelno ležišče z možnostjo regulacije vzglavja od 0-30°. Samo ležišče vozička je nastavljivo po višini s pomočjo dveh stebrih elektro motorjev. Konstrukcija vozička je izdelana iz jeklenih cevi in korozijsko zaščitena s katarforezo ter s končnim slojem s prašnim barvanjem po RAL lestvici. Podvozje vozička je zaščiteno z ABS pokrovi.

Voziček je v osnovi opremljen s sledečo opremo:

- s stransko ograjico s posebnim mehanizmom za spuščanje in dviganje
- z odtočno cevjo dolžine 1,1 m
- z blazino ležišča ter vzglavno blazino
- s kolesi \varnothing 125 s centralnim zavornim sistemom

Možnosti izbire dolžine ležišča / Possibility of mattress platform length:

↔ 1510 mm (1660 mm)

↻ 815 mm

↑ 500 - 900 mm

Možnosti izbire dodatne opreme / Possibility of additional equipment:



Trikotni vzglavnik /
Triangle cushion

EN Shower trolley – electrical - child

art. 155030C

Mattress platform is in two section and offers the manual head rest adjustment 0-30°, and height adjustment with two motors in the columns with a maximum lifting load of 150 kg. The frame of shower trolley is made of steel pipes, with central braking wheels \varnothing 125 with ABS cover. Epoxy powders coating finish, with protection against corrosion.

Basic equipment of the shower trolley:

- side rails
- a drain hose length of 1,1 m
- a mattress and headboard cushion
- central breaking wheel \varnothing 125

EN



SI Voziček za tuširanje - električni - gigant

art. 155030G

Dvodelno ležišče z možnostjo regulacije vzglavja od 0-30°. Samo ležišče vozička je nastavljivo po višini s pomočjo dveh stebrih elektro motorjev. Konstrukcija vozička je izdelana iz jeklenih cevi in korozijsko zaščitena s katarforezo ter s končnim slojem s prašnim barvanjem po RAL lestvici. Podvozje vozička je zaščiteno z ABS pokrovi.

Voziček je v osnovi opremljen s sledečo opremo:

- s stransko ograjico s posebnim mehanizmom za spuščanje in dviganje
- z odtočno cevjo dolžine 1,1 m
- z blazino ležišča ter vzglavno blazino
- z dvokolesi \varnothing 150 s centralnim zavornim sistemom
- baterijo in polnilcem

Možnosti izbire dolžine ležišča / Possibility of mattress platform length:

↔ 1900 mm (2050 mm)

↻ 955 mm

↑ 510 - 910 mm

Možnosti izbire dodatne opreme / Possibility of additional equipment:



Trikotni vzglavnik /
Triangle cushion

EN Shower trolley - electrical - gigant

art. 155030G

Mattress platform is in two section and offers the manual head rest adjustment 0-30°, and height adjustment with two motors in the columns with a maximum lifting load of 300 kg. The frame of shower trolley is made of steel pipes, with central braking twin wheels \varnothing 150 with ABS cover. Epoxy powders coating finish, with protection against corrosion.

Basic equipment of the shower trolley:

- side rails
- a drain hose length of 1,1 m
- a mattress and headboard cushion
- central breaking twin wheel \varnothing 150
- battery and charger

EN



SI

Stenska negovalna miza za tuširanje - električna

art. 155040

Dvodelno ležišče z možnostjo regulacije vzglavja od 0-30°. Samo ležišče je nastavljivo po višini s pomočjo elektro motorjev v stenski konzoli, ležišče pa se lahko tudi dvigne ob steno s pomočjo plinskih cilindrov. Stenska konzola mize je zaščitena z ABS pokrovi.

Voziček je v osnovi opremljen s sledečo opremo:

- s stransko ograjico s posebnim mehanizmom za spuščanje in dviganje
- z odtočno cevjo dolžine 1,1 m
- z blazino ležišča ter vzglavno blazino
- baterijo in polnilcem

Možnosti izbire dolžine ležišča / Possibility of mattress platform length:

- ↔ 1700 mm (1850 mm) - KRAJŠA / SMALLER
- ↔ 1900 mm (2050 mm) - STANDARD / STANDARD

↻ 1015 mm

ⓘ 450 - 850 mm

Možnosti izbire dodatne opreme / Possibility of additional equipment:



Trikotni vzglavnik /
Triangle cushion

EN

Wall mounted shower stretcher - electrical

art. 155040

Mattress platform is in two section and offers the manual head rest adjustment 0-30°, manual regulation into vertical position against the wall and height adjustment with motor in the wall panels with a maximum lifting load of 200 kg. The frame of wall mounted shower stretcher is made of steel pipes, with ABS cover of wall panel. Epoxy powders coating finish, with protection against corrosion.

Basic equipment of the shower trolley:

- side rails
- a drain hose length of 1,1 m
- a mattress and headboard cushion
- battery and charger



Timo d.o.o. Ajdovščina

Vipavska cesta 4i
5270 Ajdovščina

Slovenija



ZA NAROČILO PREPROSTO POKLIČITE



www.timo.si

Tel.: 00386 5 36 89 330

Fax: 00386 5 36 63 805

E-mail: info@timo.si